10 YEARS WARRANTY

KLUDI
RAK

" We Stand for Water Saving "

Bathroom & Kitchen Fittings

GERMAN TECHNOLOGY
MADE IN UAE

10 YEAR WARRANTY

UP TO 75% WATER SAVING

KLUDI
RAK

" We Stand for Water Saving "

CONTENTS

PETRA 12 -15

SWING 16 -19

PROFILE STAR 20 -29

PASSION 30 -35

PACIFIC 36 -39

PRIME 40 -45

HARMONY 46 -49

PROJECT 50 -55

PEARL 56 -59

POLARIS 60 -67

PEAK 68 -75

PIVOT 76 -77

POLO 78 -81

PREMIER X 82 -87

KLUDI
RAK
" We Stand for Water Saving "

KLUDI RAK is a limited liability company founded in 2007 as a joint venture between the high profile German bathroom and kitchen fittings manufacturer KLUDI and RAK Ceramics - one of the world's largest ceramic manufacturers.

KLUDI RAK is headquartered in the Emirate of Ras Al Khaimah and manufactures high quality bathroom fittings with timeless and modern design. Combined with the best German technology and quality ensuring processes, modern European machines and proven understanding of the local market, KLUDI RAK provides long lasting bathroom fittings - which satisfy many customers in the Middle East, South Asia and Africa. In order to constantly guarantee the high standards of our products, we use components that are carefully selected and sourced from well-established European suppliers. Additionally, every piece leaving our factory is controlled by very well trained, highly skilled and experienced employees to ensure a German quality standard.

UPHOLDING THE HERITAGE OF QUALITY SINCE 1926

The humble origins of a successful business conglomerate - KLUDI dates back to 1926, where the concept of quality and sustainable bath fittings for the user's comfort and convenience took shape in a production workshop in Germany. The idea evolved from KLUDI's core mission, to make every household innovative and add value to the lives of people in the community.

KLUDI are the experts in bathroom and kitchen fittings and total bathroom solutions. With almost 100 years of experience in the design of fittings, the design experts blend shape and function to create a spectrum of precision-perfect products. KLUDI's exclusive product portfolio of fittings is unique in design and conserves water & energy. Reputed for their aesthetic styles, functionality and sustainable features, KLUDI fittings continue to be a source of inspiration even today.

To cater to the quality-conscious customers in the United Arab Emirates and the Middle East and their requirements for elegant and functional quality fittings, RAK Ceramics, the world's largest ceramic manufacturer in collaboration with KLUDI Germany, the world-leaders in mixers, showers and accessories established KLUDI RAK in the Emirate of Ras Al Khaimah.

Together with KLUDI RAK's 15 years of regional expertise, skilled craftsmen, a manufacturing unit equipped with advanced European technology and backed by KLUDI's 9 decades of expertise in kitchen and bath fittings, KLUDI RAK has all the strengths combined to design and manufacture premium water-efficient products that are durable and consistent in quality

KLUDI RAK fittings are the preferred product of choice for commercial, industrial, residential sectors and hospitality across UAE. Moreover are recommended by architects, interior decorators and project planners. KLUDI RAK is thus poised to offer top-notch kitchen and bathroom products to its valued customers in UAE and the Middle East.



الإمـــارات
The Emirates

PERFECTING PRECISION

FITTINGS THROUGH TECHNOLOGY

QUALITY REFLECTS IN EVERY DETAIL

Makers of beautifully crafted, high quality kitchen and bathroom products KLUDI RAK is a brand to reckon with. Strategically located in the Emirate of Ras Al Khaimah, KLUDI RAK upholds the brand promise by consistently delivering top-grade products to its loyal customers.

Accredited with various certifications for quality, conformity and promoting sustainability, the state-of-the-art manufacturing plant of KLUDI RAK integrates the latest European technical innovations in its development process, while adhering to sustainable practices by creating energy and water saving products, besides having superior quality raw materials procured from Europe to maintain consistency in the quality of the products at all times; ultimately, the finest range of bathroom and products are directly supplied from the KLUDI RAK factory across GCC, the Middle East, Africa and Indian subcontinent.

SAVE WATER FOR FUTURE GENERATIONS

WE STAND FOR WATER SAVING

ADDED ADVANTAGES

- Maximum lime resistance.
- Maximum lifespan.
- Perfect stream quality even under different flow conditions.
- Very low noise level.
- Damage proof: unlike Conventional wire mesh screens, it can't be crushed.
- Integrated anti clogging dome screen -which filters sediments and particles.
- Constant flow rate as per requirements can be achieved irrespective of input pressure.

75% SAVE UP TO OF TAP WATER

70490198
Water saver for Hand Shower, Over Head Shower & Shataff ~8 L /min.

70490298
Water saver for public area Basin Mixer, Sink Mixer & Ablution Tap: ~1 .4 L /min

70490398
Water saver for public area Basin Mixer, Sink Mixer & Ablution Tap: ~1 .9 L /min.

70490498
Water saver for Basin Mixer, Sink Mixer & Ablution Tap: ~3 .8 L / min.

70490598
Water saver for Hand Shower, Over Head Shower & Shataff ~8 L /min.

70490698
Water saver for Hand Shower, Over Head Shower & Shataff ~8 L /min.

70490798
Water saver for Hand Shower, Over Head Shower & Shataff ~8 L /min.

70490898
Water saver for Hand Shower, Over Head Shower & Shataff ~8 L /min.

NEW

Petra

THE EPITOME SILHOUETTE OF THE WAVE, A SUBLIME WONDER AMONGST THE WONDERS, A GRANDEUR CLASSICAL NUCLEUS, A FOUNDATION THAT WITH STANDS FOR GENERATIONS.

Available Finishes

RAK37000-**

Single lever basin mixer DN 15
ceramic cartridge-K35
PCA aerator M 24 X 1
1/2" high pressure
flexible hose with PEX tubes
pop up waste 1 1/4 inch
European standard EN 817

Available Finishes



RAK37028

Single lever side basin mixer DN 15
Ceramic cartridge -K35
PCA aerator M 24 X 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European standard EN 817

Available Finishes



RAK37004

Single lever sink mixer DN 15
Ceramic cartridge - K35
swivelling (360) spout l = 180 mm
PCA aerator M 24 x 1
1/2" high pressure
flexible hose with PEX tubes
European standard EN 817

Available Finishes



** Refer to the Page Number 154 for Flow Rate requirement

RAK37001

Single lever bidet mixer DN 15
Ceramic cartridge - K35
ball joint PCA aerator M 18.5 X 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European standard EN 817

Available Finishes



RAK37002

Single lever bath and shower mixer DN 15
Ceramic cartridge -K35
without shower set
PCA aerator M 24 X 1
flow class CB
automatic diverter shower to bathtub
shower connection 1/2 inch
protected against back flow
S-unions 1/2 x 3/4 inch
European standard - EN 817

Available Finishes



RAK37003

Single lever shower mixer DN 15
Ceramic cartridge - K35
flow class B
shower connection 1/2 inch
protected against back flow
S-unions 1/2 x 3/4 inch
European standard - EN 817

Available Finishes



Available Finishes

RAK37076

Concealed single lever Bath &
Shower Mixer trim set

RAK38737
Pre-installation kit DN 15

Available Finishes

RAK37079

Concealed single lever shower
mixer trim set

RAK38828
Pre-installation kit DN 15

SWING

ERGONOMICALLY DESIGNED FOR CONVENIENCE

The Swing series is a symbolic design representing a figure that extends its two arms to embrace and contact. This dynamic and uniquely shaped series is designed for the users' convenience and comfort.

The Swing model releases water similar to a cascade effect. And is a reflection of quality, functionality & distinctiveness at its best.

Available Finishes

RAK16000

Single lever basin mixer DN 15
ceramic cartridge-K35
S-pointer PCA aerator M 24 X 1
1/2" high pressure
flexible hose with PEX tubes
pop up waste 1 1/4 inch
European standard EN 817

Available Finishes



RAK16021

Single lever high raised
basin mixer DN 15
ceramic cartridge-K35
S-pointer PCA aerator M 24 X 1
1/2" high pressure flexible hose
with PEX tubes
European standard EN 817

Available Finishes



RAK16001

Single lever bidet mixer DN 15
ceramic cartridge-K35
PCA cache aerator M 16.5 X 1
1/2" high pressure
flexible hose with PEX tubes
pop up waste 1 1/4 inch
European standard EN 817

Available Finishes



** Refer to the Page Number 154 for Flow Rate requirement

RAK16002

Single lever bath & shower mixer DN 15
without shower set
ceramic cartridge-K35
S-pointer aerator M 24 X 1
flow class CB
automatic diverter: shower to bathtub
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817

Available Finishes



RAK16003

Single lever shower mixer DN 15
ceramic cartridge-K35
flow class B
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817

Available Finishes



Available Finishes

RAK16075

Concealed single lever Bath &
Shower Mixer trim set

RAK38636
Pre-installation kit DN 15

Available Finishes

RAK16076

Concealed single lever Bath &
Shower Mixer trim set

RAK38737
Pre-installation kit DN 15

Available Finishes

RAK16079

Concealed single lever shower
mixer trim set

RAK38828
Pre-installation kit DN 15

PROFILE STAR

PICTURE PERFECT MATCH FOR THE DISCERNING

The Profile star collection is a perfect match for your choice of style and convenience.

The KLUDI RAK Profile collection showcases well-defined perfect bath fittings that match the taste of every discerning customer. Geometric contours and accented facets are the primary inspirational elements featured in the Profile star series. Ergonomically designed with excellent quality craftsmanship, the handle of the faucet reflect a cubic shape with rounded edges lent it a unique visual appeal.

Available Finishes

RAK14100

Single lever basin mixer DN 15
ceramic cartridge-K35
cache aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European standard - EN 817

Available Finishes



RAK14160

Single lever basin mixer XL DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817

Available Finishes



RAK14161

Single lever basin mixer XL HR DN 15
ceramic cartridge-K35
aerator M 24 x 1
1/2" high pressure flexible hose with PEX
tubes European standard - EN 817

Available Finishes



** Refer to the Page Number 154 for Flow Rate requirement

RAK14124

Concealed 2-hole single
lever basin mixer
trim set aerator M 24 x 1
flow class Z
wall outlet 230 mm
without pre-installation
kit item no. RAK38243

Available Finishes



RAK38243

Pre installation kit DN 15



RAK14101

Single lever bidet mixer DN 15
ceramic cartridge-K35
ball joint cache aerator M 18.5 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 ¼ inch
European Standard - EN 817

Available Finishes



RAK14102

Single lever bath & shower mixer DN 15
without shower set
ceramic cartridge-K41
S-pointer aerator M 24 X 1
flow class CB
automatic diverter: shower to bathtub
shower outlet G 1/2”
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817

Available Finishes



RAK14105

Single lever shower mixer DN 15
ceramic cartridge-K41
flow class B
shower outlet G 1/2”
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817

Available Finishes



RAK14114

Single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (360°) rectangular
spout l = 230 mm
PCA aerator M 24 x 1
flexible high pressure supply
tubes 1/2 inch
European standard- EN 817

Available Finishes



** Refer to the Page Number 154 for Flow Rate requirement

PROFILE STAR

Available Finishes

RAK14175

Concealed single-lever bath & shower mixer trim set

RAK38636
Pre-installation kit DN 15

Available Finishes

RAK14176

Concealed single lever Bath & Shower Mixer trim set

RAK38737
Pre-installation kit DN 15

Available Finishes

RAK14179

Concealed single-lever shower mixer trim set

RAK38828
Pre-installation kit DN 15

PROFILE

PICTURE PERFECT MATCH FOR THE DISCERNING

The Profile collection is a perfect match for your choice of style and convenience.

The KLUDI RAK Profile collection showcases well-defined perfect bath fittings that match the taste of every discerning customer. Geometric contours and accented facets are the primary inspirational elements featured in the Profile series. Ergonomically designed with excellent quality craftsmanship, the handle of the faucet reflect a cubic shape with rounded edges lent it a unique visual appeal.

** Refer to the Page Number 154 for Flow Rate requirement

RAK14000

Single lever basin mixer DN 15
ceramic cartridge-K35
cache aerator M 24 x 1
1/2" high pressure flexible hose with
PEX tubes pop up waste 1 1/4 inch
European Standard- EN 817

Available Finishes



RAK14060

Single lever basin mixer XL DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817

Available Finishes



RAK14061

single lever basin mixer XL HR DN 15
ceramic cartridge-K35
aerator M 24 x 1
1/2" high pressure flexible hose with PEX tubes
European standard - EN 817

Available Finishes



RAK14001

Single lever bidet mixer DN 15
ceramic cartridge-K35
ball joint cache aerator M 18.5 x 1
1/2" high pressure flexible hose with PEX tubes
pop up waste 1 ¼ inch
European Standard - EN 817

Available Finishes



** Refer to the Page Number 154 for Flow Rate requirement

RAK14002

Single lever bath & shower mixer DN 15
without shower set
ceramic cartridge-K41
S-pointer aerator M 24 X 1
flow class CB
automatic diverter: shower to bathtub
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817

Available Finishes



RAK14005

Single lever shower mixer DN 15
ceramic cartridge-K41
flow class B
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817

Available Finishes



RAK14014

Single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (360°) rectangular
spout l = 230 mm
PCA aerator M 24 x 1
flexible high pressure supply
tubes 1/2 inch
European standard- EN 817

Available Finishes



Available Finishes

RAK14075

Concealed single-lever bath&
shower mixer trim set

RAK38636
Pre-installation kit DN 15

Available Finishes

RAK14076

Concealed single lever Bath &
Shower Mixer trim set

RAK38737
Pre-installation kit DN 15

Available Finishes

RAK14079

Concealed single-lever shower
mixer trim set

RAK38828
Pre-installation kit DN 15

PASSION

CLASSIC STYLE WITH ENHANCED FLEXIBILITY

A flawless synergy of geometric shapes that blends with all bathroom styles, mixers from the Passion is designed to offer maximum flexibility. The shower fittings have a sleek and flat hand-held shower that releases gentle & steady flow of water similar to the falling rain. Furthermore showering becomes an invigorating experience. The Kitchen mixer comes with a spout that can revolve 360 degrees, creating ample space within the sink.

Available Finishes

RAK13000
Single Lever Basin Mixer DN 15
ceramic cartridge-K35
cache aerator M 24 x 1
1/2"high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817

Available Finishes



RAK13060
Single lever basin mixer XL DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible
hose with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817

Available Finishes



RAK13061
single lever basin mixer XL HR DN 15
ceramic cartridge-K35
aerator M 24 x 1
1/2" high pressure flexible
hose with PEX tubes
European standard - EN 817

Available Finishes



** Refer to the Page Number 154 for Flow Rate requirement

RAK13028
Side Single Lever Basin Mixer DN 15
ceramic cartridge-K35
swivelling spout-(360°)
PCA cache aerator M 16.5 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817



RAK13024
Concealed 2-hole single lever
basin mixer trim set
aerator M 24 x 1
flow class Z
wall outlet 230 mm
without pre-installation kit item no. RAK38243

Available Finishes



RAK38243
Pre installation kit DN 15

RAK13070
floor standing Mixer
for free standing wash basin
single lever basin mixer DN 15,
ceramic cartridge with hot
water safety device
PCA aerator M 24 X 1

Available Finishes

88088
Concealed unit body
for free standing
wash basin



RAK13001

Single lever bidet mixer DN 15
ceramic cartridge-K35
ball joint cache aerator M 18.5 x 1
1/2" high pressure flexible hose with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817

Available Finishes



RAK13002

Single lever bath & shower mixer DN 15
without shower set
ceramic cartridge-K41
aerator M 24 X 1
flow class CB
automatic diverter: shower to bathtub
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817

Available Finishes



RAK13102

Single lever bath & shower mixer DN 15 (Top Lever)
without shower set
ceramic cartridge-K35
aerator M 24 X 1
flow class CB
automatic diverter: shower to bathtub
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817

Available Finishes



** Refer to the Page Number 154 for Flow Rate requirement

RAK13005

Single lever shower mixer DN 15
ceramic cartridge-K41
Flow class B
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch

Available Finishes



RAK13012

Single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (360°) spout l = 210 mm
PCA cache aerator M 16.5 x 1
1/2" high pressure flexible hose
with PEX tubes
European Standard- EN 817



Available Finishes

RAK13075

Concealed single-lever bath & shower mixer trim set

RAK38636
Pre-installation kit DN 15

Available Finishes

RAK13076

Concealed single lever Bath & Shower Mixer trim set

RAK38737
Pre-installation kit DN 15

Available Finishes

RAK13079

Concealed single-lever shower mixer trim set

RAK38828
Pre-installation kit DN 15

NEW

PACIFIC

A MODISH DESIGN THAT STANDS OUT AT EVERY ANGLE

Inspired by the immensely popular Profile series, Pacific offers a unique squarish geometry feel by blending modish design with ergonomic functionalities. Pacific is ideal for those who require precision-perfect surface at every angle.

Available Finishes

RAK38000

Single lever basin mixer DN 15
Ceramic cartridge - K35
PCA aerator M 24 X 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European standard EN 817

Available Finishes



RAK38001

Single lever bidet mixer DN 15
Ceramic cartridge - K35
PCA cache aerator M 16.5 X 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European standard EN 817

Available Finishes



RAK38002

Single lever bath and shower mixer DN 15
Ceramic cartridge -K35
without shower set
PCA aerator M 24 X 1
flow class CB
automatic diverter shower to bathtub
shower outlet G 1/2"
protected against back flow
S-unions 1/2 x 3/4 inch
European standard - EN 817

Available Finishes



** Refer to the Page Number 154 for Flow Rate requirement

RAK38003

Single lever shower mixer DN 15
Ceramic cartridge - K35
flow class B
shower outlet G 1/2"
protected against back flow
S-unions 1/2 x 3/4 inch
European standard - EN 817

Available Finishes



RAK38004

Single lever side sink mixer DN 15
Ceramic cartridge - K35
PCA aerator M 24 x 1
1/2" high pressure
flexible hose with PEX tubes
European standard EN 817

Available Finishes



Available Finishes

RAK38076

Concealed single lever bath
and shower -mixer trim set

RAK38737
Pre-installation kit DN 15

Available Finishes

RAK38079

Concealed single lever
shower mixer trim set

RAK38828
Pre-installation kit DN 15

PRIME

VERSATILITY WITH A CLASSY TOUCH

Clear-cut flowing lines, a curved flexible spout and single lever mixer fitted with a minimalist handle are the highlights of the Prime Series.

Prime collection comprises of a vast range of products, particularly meant for the shower. Prime Series is thus the preferred choice for all architectural projects.

Available Finishes

RAK12000

Single lever basin mixer DN 15
ceramic cartridge-K35
cache aerator M 16.5 x 1
1/2" high pressure flexible hose with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817

Available Finishes



RAK12001

Single lever high raised basin mixer DN 15
ceramic cartridge-K35
cache aerator M 16.5 x 1
1/2" high pressure flexible hose with PEX tubes
European Standard - EN 817

Available Finishes



RAK12028

Side Single lever basin mixer DN 15
ceramic cartridge-K35
with swivelling spout
cache aerator M 16.5 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4
European standard- EN 817



** Refer to the Page Number 154 for Flow Rate requirement

RAK12031

electronic controlled basin mixer DN 15
with 6 V Lithium Battery
single hole mounted
magnet-cartridge unit, with mixing shaft
with control handle
cache aerator M 16.5 x 1
flow class A
optical object-registration
rapid installation set
flexible high pressure supply
tubes 1/2" inch with
integrated back flow preventer

Available Finishes



RAK12032

electronic controlled XL basin
mixer DN 15 with 6 V Lithium Battery
single hole mounted
magnet-cartridge unit, with mixing shaft
with control handle
cache aerator M 16.5 x 1
flow class A
optical object-registration
rapid installation set
flexible high pressure supply
tubes 1/2"inch with
integrated back flow preventer

Available Finishes



RAK12041

electronic controlled high raised
basin mixer DN 15
with 6 V Lithium Battery
single hole mounted
magnet-cartridge unit, with mixing shaft
with control handle
cache aerator M 16.5 x 1
flow class A
optical object-registration
rapid installation set
flexible high pressure supply
tubes 1/2"inch with
integrated back flow preventer

Available Finishes



RAK12003

Single lever bidet mixer DN 15
ceramic cartridge-K35
ball joint aerator M 24 x 1
1/2" high pressure flexible hose with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817

Available Finishes



RAK12004

Single lever bath & shower mixer DN 15
without shower set
ceramic cartridge-K35
aerator M 24 X 1
flow class CB
automatic diverter: shower to bathtub
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817

Available Finishes



RAK12008

Single lever shower mixer DN 15
ceramic cartridge-K35
flow class B
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817

Available Finishes



RAK12012

Single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (360°)spout l=215 mm
PCA cache aerator M16.5X1
1/2" high pressure flexible hose
with PEX tubes
European Standard - EN 817



** Refer to the Page Number 154 for Flow Rate requirement

Available Finishes

RAK12075

Concealed single-lever bath & shower mixer trim set

RAK38636
Pre-installation kit DN 15

Available Finishes

RAK12076

Concealed single-lever bath & shower mixer trim set

RAK38737
Pre-installation kit DN 15

Available Finishes

RAK12079

Concealed single-lever shower mixer trim set

RAK38828
Pre-installation kit DN 15

HARMONY

DYNAMIC SYMPHONY OF FORM & FUNCTIONALITY

Contemporary style combined with functionality is what makes the Harmony mixers really unique. The exceptional features of the Harmony series include swivel cascade aerators that offer highly flexible solutions for both bath and kitchen. With Harmony in your homes, comfort and convenience is guaranteed.

RAK15000

Single lever basin mixer DN 15
ceramic cartridge-K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817



RAK15001

Single lever bidet mixer DN 15
ceramic cartridge-K35
cache aerator M 16.5 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817



RAK15002

Single lever bath & shower mixer DN 15
without shower set
ceramic cartridge-K35
flow straightener M 24 X 1
automatic diverter: shower to bathtub
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817
free flow straightner



** Refer to the Page Number 154 for Flow Rate requirement

RAK15003

Single lever shower mixer DN 15
ceramic cartridge-K35
flow class B
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817



RAK15004

Single lever sink mixer DN 15
ceramic cartridge-K35
aerator M 24 x 1
swivelling (360°) spout l = 200 mm
1/2 " high presssure flexible hose
with PEX tubes
European standard EN 817



RAK15075

Concealed single-lever bath & shower mixer trim set

RAK38636
Pre-installation kit DN 15

RAK15076

Concealed single lever Bath & Shower Mixer trim set

RAK38737
Pre-installation kit DN 15

RAK15079

Concealed single-lever shower mixer trim set

RAK38828
Pre-installation kit DN 15

PROJECT

SOPHISTICATED CRAFTSMANSHIP WITH QUALITY FINISH

The Project range is characterised by smooth flowing contours with rounded edges that makes it compatible with all bathroom styles. These mixers sport superior grade chrome surface and are made of excellent quality ceramic cartridge that guarantees durability and functionality.

For discerning customers who seek top-grade fittings at an affordable cost, the Project collection of mixers fits the bill perfectly.

RAK11000

Single lever basin mixer DN 15
ceramic cartridge K-35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817



RAK11060

Single lever basin mixer XL DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817



RAK11001

Single lever bidet mixer DN 15
ceramic cartridge-K35
ball joint aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - to EN 817



** Refer to the Page Number 154 for Flow Rate requirement

RAK11002

Single lever bath & shower mixer DN 15
without shower set
ceramic cartridge-K35
aerator M 24 X 1
flow class CB
automatic diverter: shower to bathtub
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817



RAK11005

Single lever shower mixer DN 15
ceramic cartridge-K35
flow class B
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817



RAK11075

Concealed single-lever bath & shower mixer trim set

RAK38636
Pre-installation kit DN 15

RAK11076

Concealed single lever Bath & Shower Mixer trim set

RAK38737
Pre-installation kit DN 15

RAK11079

Concealed single-lever shower mixer trim set

RAK38828
Pre-installation kit DN 15

RAK11010

Single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (360°) spout l = 260 mm
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
European Standard - EN 817



RAK11009

Wall mounted single lever
sink mixer DN 15
ceramic cartridge-K35
swivelling (185°) spout l = 200 mm
aerator M 22 x 1
flow class A
S- unions 1/2 X 3/4 inch
European standard- EN 817



** Refer to the Page Number 154 for Flow Rate requirement



PEARL

Extravagant and yet natural at the same time - that is the beauty of Pearl. These highly contemporary fittings provide a winning combination of innovative technology and cascade aerator. The cascade aerator in both basin and bath resembles the natural flow of water in the wild.

RAK17000

Single lever basin mixer DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard- EN 817



RAK17060

Single lever basin mixer XL DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817



RAK17041

basin mixer DN 15
3 hole deck mounted
solid levers
ceramic head part 90°, Right and Left
flexible high pressure supply tubes 1/2 inch
PCA aerator M 24 x 1
rapid installation set
click clack



RAK17061

single lever basin mixer XL HR DN 15
ceramic cartridge-K35
aerator M 24 x 1
1/2" high pressure flexible hose with
PEX tubes European standard - EN 817



RAK17001

Single lever bidet mixer DN 15
ceramic cartridge-K35
ball joint aerator M 24 x 1
1/2" high pressure flexible
hose with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817



** Refer to the Page Number 154 for Flow Rate requirement

RAK17002

Single lever bath & shower mixer DN 15
without shower set
ceramic cartridge-K35
aerator M 24 X 1
flow class CB
automatic diverter: shower to bathtub
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817



RAK17003

Single lever shower mixer DN 15
ceramic cartridge-K35
flow class B
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817



RAK17050

Single lever sink mixer DN 15
ceramic cartridge-K35
PCA aerator M 22 x 1
swivelling U spout
1/2" high pressure flexible hose
with PEX tubes
European Standard EN 817

Available Finishes



RAK17075

Concealed single-lever bath & shower mixer trim set

RAK38636
Pre-installation kit DN 15

RAK17076

Concealed single-lever bath & shower mixer trim set

RAK38737
Pre-installation kit DN 15

RAK17079

Concealed single-lever shower mixer trim set

RAK38828
Pre-installation kit DN 15

POLARIS

DISTINCTIVE DESIGNS THAT IS TRULY AFFORDABLE

The Polaris range of classic and elegantly crafted mixers is functional at its best. These bathroom and kitchen products are innovatively designed with exceptional finish to suit your contemporary lifestyle. Combined with world class quality and detailed craftsmanship, this series offer functionality and high quality fittings that blend well with both the bathroom and kitchen décor.

The Polaris array of bath & kitchen mixers is worth investing in every household, as they are durable, easy to use and offer excellent value for money.

RAK10000

Single lever basin mixer DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose with PEX tubes
pop up waste 1 1/4 inch
European Standard- EN 817



RAK10021

POLARIS STAR - Single lever basin mixer DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817



RAK10060

Single lever basin mixer XL DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817



** Refer to the Page Number 154 for Flow Rate requirement

RAK10061

single lever basin mixer XL HR DN 15
ceramic cartridge-K35
aerator M 24 x 1
1/2" high pressure flexible hose with PEX tubes European standard - EN 817



RAK10023

Concealed 2-hole single lever basin mixer
trim set
aerator M 24 x 1
flow class Z
wall outlet 180 mm
without pre-installation
kit item no. RAK38243



RAK38243

Pre installation kit DN 15



RAK10001

Single lever bidet mixer DN 15
ceramic cartridge-K35
ball joint aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817



RAK10002

Single lever bath & shower mixer DN 15
without shower set
ceramic cartridge-K35
aerator M 24 X 1
flow class DB
automatic diverter shower to bathtub
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817



RAK10003

Single lever shower mixer DN 15
ceramic cartridge-K35
flow class B
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817



** Refer to the Page Number 154 for Flow Rate requirement

RAK10024

Single lever shattaf mixer DN 15
ceramic cartridge-K35
flow class B
shower outlet G 1/2"
S- unions 1/2 X 3/4 inch
European standard- EN 817

Available Finishes



RAK10050

Single lever sink mixer DN 15
ceramic cartridge-K35
PCA aerator M 22 x 1
swivelling U spout
1/2" high pressure flexible hose
with PEX tubes
European Standard EN 817



RAK10014

Single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (360°) spout l = 260 mm
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
European Standard - EN 817



RAK10028

Wall mounted single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (185°) spout l = 200 mm
aerator M 22 x 1
flow class A
S- unions 1/2 X 3/4 inch
European standard - EN 817



RAK10028SU

Wall mounted single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (185°) U spout l = 186 mm
aerator M 22 x 1
flow class A
S- unions 1/2 X 3/4 inch
European standard- EN 817



RAK10008

Wall mounted single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (185°) spout l = 200 mm
aerator M 22 x 1
flow class A
S- unions 1/2 X 3/4 inch
European standard- EN 817



** Refer to the Page Number 154 for Flow Rate requirement

RAK10076

Concealed single-lever bath & shower mixer trim set

RAK38737
Pre-installation kit DN 15

RAK10079

Concealed single-lever shower mixer trim set

RAK38828
Pre-installation kit DN 15



PEAK

DISTINCTIVE DESIGN THAT
IS TRULY AFFORDABLE

RAK18000

Single lever basin mixer DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard- EN 817



RAK18001

Single lever bidet mixer DN 15
ceramic cartridge-K35
ball joint aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817



RAK18060

Single lever basin mixer XL DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817



** Refer to the Page Number 154 for Flow Rate requirement

RAK18028

Side Single lever basin mixer DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard- EN 817



RAK18061

single lever basin mixer XL HR DN 15
ceramic cartridge-K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
European standard - EN 817



RAK18023

Concealed 2-hole single lever basin mixer
trim set
aerator M 24 x 1
flow class Z
wall outlet 180 mm
without pre-installation
kit item no. RAK38243



RAK38243

Pre installation kit DN 15

RAK18003

Single lever shower mixer DN 15
ceramic cartridge-K35
flow class B
shower outlet G 1/2"
S- unions 1/2 X 3/4 inch
European standard- EN 817



RAK18002

Single lever bath & shower mixer DN 15
without shower set
ceramic cartridge-K35
aerator M 24 X 1
flow class CB
automatic diverter shower to bathtub
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817



RAK18004

Single lever sink mixer DN 15
ceramic cartridge-K35
PCA aerator M 22 x 1
swivelling U spout
1/2" high pressure flexible hose
with PEX tubes
European Standard EN 817



RAK18072

Single lever sink mixer DN15
single hole mounted,
swivel spout (360°)
pull-out hand spray
automatic diverter: jet/spray
Double clip quick connector with
back flow preventer

SWIVEL SPOUT (360°) PULL-OUT HAND SPRAY



** Refer to the Page Number 154 for Flow Rate requirement

RAK18008

Wall mounted single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (185°) spout l = 200 mm
aerator M 24 x 1
flow class A
S- unions 1/2 X 3/4 inch
European standard- EN 817



RAK18032

Shower mixer with Dual shower
system L-shape
L = 1175 mm
wall fastening
hand and head shower
with divertor
with 1S hand held shower 1/2 inch
ridgeless adjustable shower holder
vertically and cylindrically
adjustable shower holder
shower hose
1/2 x 1/2 inch x 1600mm
with fixing kit
swivel head shower



RAK18076

Concealed single-lever bath
shower mixer trim set

RAK38737
Pre-installation kit DN 15

RAK18079

Concealed single-lever shower
mixer trim set

RAK38828
Pre-installation kit DN 15

PEAK MEDICARE

FOR NURSING, CARE HOMES AND HOSPITAL

PEAK MEDICARE HAS BEEN DESIGNED TO BE OPERATED EASILY BY FOREARM OR ELBOW.
THIS AVOIDS THE NEED FOR HAND CONTACT AND THE CONSEQUENT RISK CONTAMINATION

RAK18070

Medicare single lever basin mixer DN 15
solid clinic lever K36
ceramic cartridge with hot water safety device
PCA aerator M 24 x 1
flexible high pressure supply tubes 1/2 inch
pop up waste 1 1/4 inch
European Standard- EN 817



RAK18071

Medicare single lever basin mixer HR DN 15
solid clinic lever K36
ceramic cartridge with hot water safety device
PCA aerator M 24 x 1
flexible high pressure supply tubes 1/2 inch
European Standard- EN 817



RAK18073

wall mounted medicare single
lever basin mixer
solid clinic lever K36
ceramic cartridge with hot water safety device
PCA aerator M 24 x 1
European Standard- EN 817



NEW

PIVOT

WHERE CLASS MEETS
WITH ELEGANCE,
STYLE AND ECONOMY

RAK39000

Single lever basin mixer DN 15
Ceramic cartridge - K35
PCA aerator M 24 X 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European standard EN 817



RAK39001

Single lever bidet mixer DN 15
ceramic cartridge-K35
cache aerator M16.5X1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817



RAK39002

Single lever bath and shower mixer DN 15
Ceramic cartridge -K35
without shower set
PCA aerator M 24 X 1
flow class CB
automatic diverter shower to bathtub
shower outlet G 1/2"
protected against back flow
S-unions 1/2 x 3/4 inch
European standard - EN 817



RAK39003

Single lever shower mixer DN 15
Ceramic cartridge - K35
flow class B
shower outlet G 1/2"
protected against back flow
S-unions 1/2 x 3/4 inch
European standard - EN 817



RAK39076

Concealed single lever bath and
shower -mixer trim set

RAK38737
Pre-installation kit DN 15

RAK39079

Concealed single lever
shower -mixer trim set

RAK38828
Pre-installation kit DN 15

POLO

SHAPED TO ADD VALUE TO EVERYDAY LIFE

Noteworthy for its everyday practical applications, the Polo series from KLUDI RAK is a must-have in every household. Equipped with a looped handle design, Polo mixers are ingeniously shaped and easy to operate. The entire array of Polo products are durable, highly functional, and offer good value for money.

RAK30030

POLO Eco- Single lever basin mixer DN 15
ceramic cartridge-K35
aerator M 24 x 1
1/2" high pressure flexible hose with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817



RAK30001

Single lever bidet mixer DN 15
ceramic cartridge-K35
ball joint aerator M 24 x 1
1/2" high pressure flexible hose with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817



RAK30040

POLO STAR Eco - Single lever basin mixer DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817



RAK30060

Single lever basin mixer XL DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817



RAK30061

single lever basin mixer XL HR DN 15
ceramic cartridge-K35
aerator M 24 x 1
1/2" high pressure flexible hose with PEX tubes
European standard - EN 817



RAK30002

Single lever bath & shower mixer DN 15
without shower set
ceramic cartridge-K35
aerator M 24 X 1
flow class CB
automatic diverter: shower to bathtub
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817



RAK30003

Single lever shower mixer DN 15
ceramic cartridge-K35
flow class B
shower outlet G 1/2"protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817



RAK30029

Wall mounted single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (185°) spout l = 230 mm
aerator M 22 x 1
flow class A
S- unions 1/2 X 3/4 inch
European standard - EN 817



** Refer to the Page Number 154 for Flow Rate requirement

RAK30014

Single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (360°) spout l = 260 mm
aerator M 24 x 1
1/2 " high pressure flexible hose with PEX tubes
European Standard - EN 817



RAK30029SU

Wall mounted single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (185°) U spout l = 210 mm
aerator M 22 x 1
flow class A
S- unions 1/2 X 3/4 inch
European standard- EN 817



RAK30008

Wall mounted single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (185°) spout l = 200 mm
aerator M 22 x 1
flow class A
S- unions 1/2 X 3/4 inch
European standard- EN 817



RAK30076

Concealed single-lever bath shower mixer trim set

RAK38737
Pre-installation kit DN 15

RAK30079

Concealed single-lever shower mixer trim set

RAK38828
Pre-installation kit DN 15

NEW

PREMIER-X

MODERN CLASSIC MASTERPIECE THAT COMPLIMENTS WITH EVERY STYLE STATEMENTS

With superlative finish and premium quality and modern geometry blended with a classical touch Premier X is the next generation of KLUDI RAK's evergreen and hugely successful Premier series. Preserving the sustainable features of its pioneering model, Premier X is aimed to cater to your needs by offering a conventional but trendy design.

With a synergy of two distinct stylish controls, Premier X is a must-have budget-friendly fitting.

RAK34004

Dual controlled basin mixer DN15
swivel spout
aerator M 22 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1¼"
European Standard - EN 200



RAK34003

Pillar tap DN15
single hole deck mounted with
swivel spout
aerator M22 x 1
flow class A
marked : blue
European standard- EN200



RAK34005

Dual controlled bath and shower
mixer DN 15
without shower set
aerator M24x1
flow class CB
S-unions 1/2 inch x 3/4 inch
automatic divertor : shower to bathtub
shower outlet 1/2 inch
European standard- EN200



** Refer to the Page Number 154 for Flow Rate requirement

RAK34010

Dual controlled shower mixer DN 15
ceramic head part 90 ,Right & Left
flow class B
shower connection 1/2 inch
protected against back flow
S-unions 1/2 inch x 3/4 inch
in accordance to EN 200



RAK34007

Long Bibcock DN15
marked : blue
thread connection 1/2 inch
European standard- EN200
aerator M22X1
flow class A



RAK34002

Bibcock DN15
marked : blue
Hose union 1/2 inch
European standard- EN200



RAK34008

Wall mounted sink tap DN15
marked : blue
swivel spout
aerator M22x1
flow class A
thread connection 1/2 inch
European standard- EN200



RAK34000

Dual controlled sink mixer DN15
deck mounted with swivel spout
aerator M22 x 1
1/2"high presssure flexible hose with PEX tubes
European Standard - EN 200



RAK34001SU

Dual controlled wall
mounted sink mixer DN 15
swivel U spout
aerator M22 x 1
flow class A
S- unions 1/2 inch x 3/4 inch
European standard- EN200



RAK34001

Dual controlled wall
mounted sink mixer DN 15
swivel spout
aerator M22 x 1
flow class A
S- unions 1/2 inch x 3/4 inch
European standard- EN200



** Refer to the Page Number 154 for Flow Rate requirement

SELF CLOSING

Built with superior technology, our array of free-standing single lever taps is timed to make efficient use of water. Compatible with all water systems for traditional and modern bathrooms, these self-closing, push type faucets from KLUDI RAK is ideal for both residential and commercial usage.

RAK50001

Self Closing Tap - Push type DN 15
push type
cache type aerator M16.5x1
minimum working pressure 0.1bar
maximum working pressure 3 bar
time of water flow 0 to 16sec
with 2mm allen key for time adjustment



RAK50002

Self Closing Mixer DN15
push type
1/2 inch high pressure
flexible hose with PEX tubes
with cache aerator M16.5x1
minimum working pressure 0.1bar
maximum working pressure 3 bar
time of water flow 0 to 16sec
with 2mm allen key for time adjustment



RAK50003

Wall Mounted Self Closing Tap Push type DN 15
with S point aerator
minimum working pressure 0.1bar
maximum working pressure 3 bar
time of water flow 0 to 16sec
with 2mm allen key for time adjustment



RAK50004

Concealed valve
self closing (outdoor)-DN15
Push type timing device
connection 1/2 inch
maximum time of water flow 15 sec



PEAK *Pull Out Sink Mixer*

SINK MIXER

Single lever sink mixer
with pull-out hand spray

Automatic diverter: Jet / Spray

SWIVEL SPOUT (360°) PULL-OUT HAND SPRAY

RAK37004 - PETRA

Single lever sink mixer DN 15
Ceramic cartridge - K35
swivelling (360) spout l = 180 mm
PCA aerator M 24 x 1
1/2" high pressure
flexible hose with PEX tubes
European standard EN 817

Available Finishes

RAK14114 -PROFILE STAR

Single lever sink mixer DN 15
Ceramic cartridge with hot
water safety device Ø35 mm
swivelling (360°) rectangular
spout l = 230 mm
PCA aerator M 24 x 1
flexible high pressure
supply tubes
European Standard- EN 817

Available Finishes

RAK13012 - PASSION

Single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (360°) spout l = 210 mm
PCA cache aerator M 16.5 x 1
1/2" high pressure flexible hose
with PEX tubes
European Standard- EN 817

RAK38004 - PACIFIC

Single lever side sink mixer DN 15
Ceramic cartridge - K35
PCA aerator M 24 x 1
1/2" high pressure
flexible hose with PEX tubes
European standard EN 817

Available Finishes

RAK12012 - PRIME

Single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (360°)spout l=215 mm
PCA cache aerator M16.5X1
1/2" high pressure flexible hose
with PEX tubes
European Standard - EN 817

RAK18072 - PEAK PULL OUT

Single lever sink mixer DN15
single hole mounted,
swivel spout (360°)
pull-out hand spray
automatic diverter: jet/spray
Double clip quick connector with
back flow preventer

** Refer to the Page Number 154 for Flow Rate requirement

RAK10050 - POLARIS

Single lever sink mixer DN 15
ceramic cartridge-K35
PCA aerator M 22 x 1
swivelling U spout
1/2" high pressure flexible hose
with PEX tubes
European Standard EN 817

RAK17050 - PEARL

Single lever sink mixer DN 15
ceramic cartridge-K35
PCA aerator M 22 x 1
swivelling U spout
1/2" high pressure flexible hose
with PEX tubes
European Standard EN 817

Available Finishes

RAK18004 - PEAK

Single lever sink mixer DN 15
ceramic cartridge-K35
PCA aerator M 22 x 1
swivelling U spout
1/2" high pressure flexible hose
with PEX tubes
European Standard EN 817

RAK10014 - POLARIS

Single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (360°) spout l = 260 mm
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
European Standard - EN 817

RAK30014 - POLO

Single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (360°) spout l = 260 mm
aerator M 24 x 1
1/2 " high pressure flexible hose
with PEX tubes
European Standard - EN 817

RAK15004 - HARMONY

Single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (360°) spout l = 200 mm
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
European Standard - EN 817

RAK11010 - PROJECT

Single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (360°) spout l = 260 mm
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
European Standard - EN 817

RAK18008 - PEAK

Wall mounted single lever
sink mixer DN 15
ceramic cartridge-K35
swivelling (185°) spout l = 200 mm
aerator M 24 x 1
flow class A
S- unions 1/2 X 3/4 inch
European standard- EN 817

RAK10028 - POLARIS

Wall mounted single lever sink
mixer DN 15
ceramic cartridge-K35
swivelling (185°) spout l = 200 mm
aerator M 22 x 1
flow class A
S- unions 1/2 X 3/4 inch
European standard - EN 817

RAK10028SU - POLARIS

Wall mounted single lever sink
mixer DN 15
ceramic cartridge-K35
swivelling (185°) U spout l = 186 mm
aerator M 22 x 1
flow class A
S- unions 1/2 X 3/4 inch
European standard- EN 817

RAK30029SU - POLO

Wall mounted single lever sink
mixer DN 15
ceramic cartridge-K35
swivelling (185°) U spout l =210 mm
aerator M 22 x 1
flow class A
S- unions 1/2 X 3/4 inch
European standard- EN 817

RAK34001 - PREMIER X

Dual controlled wall mounted
sink mixer DN 15
swivel spout
aerator M22 x 1
flow class A
S- unions 1/2 inch x 3/4 inch
European standard- EN200

** Refer to the Page Number 154 for Flow Rate requirement

RAK11009 - PROJECT

Wall mounted single lever sink
mixer DN 15
ceramic cartridge-K35
swivelling (185°) spout l = 200 mm
aerator M 22 x 1
flow class A
S- unions 1/2 X 3/4 inch
European standard- EN 817

RAK10008 - POLARIS

Wall mounted single lever
sink mixer DN 15
ceramic cartridge-K35
swivelling (185°)
spout l = 200 mm
aerator M 22 x 1
flow class A
S- unions 1/2 X 3/4 inch
European standard- EN 817

RAK30008 - POLO

Wall mounted single lever
sink mixer DN 15
ceramic cartridge-K35
swivelling (185°)
spout l = 200 mm
aerator M 22 x 1
flow class A
S- unions 1/2 X 3/4 inch
European standard- EN 817

RAK34001SU - PREMIER X

Dual controlled wall mounted
sink mixer DN 15
swivel U spout
aerator M22 x 1
flow class A
S- unions 1/2 inch x 3/4 inch
European standard- EN200

RAK34008 - PREMIER X

Wall mounted sink tap DN15
marked : blue
swivel spout
aerator M22x1
flow class A
thread connection 1/2 inch
European standard- EN200

RAK34000 - PREMIER X

Dual controlled sink mixer DN15
deck mounted with swivel spout
aerator M22 x 1
1/2"high presssure flexible
hose with PEX tubes
European Standard - EN 200

CONCEALED FITTINGS

Space being an essential feature in the shower area, at KLUDI RAK our innovators with their practical planning and integration of the world's latest technology have designed concealed bath and shower mixers with a multitude of design options and features.

Sleek and sophisticated Concealed Fittings from KLUDI RAK make efficient use of shower space without compromising on its functionality and user's comfort.

RAK45125

Brass Over head
shower DN 15
250 mm x 250 mm
with cleaning system



RAK45130

Brass Over head
shower DN 15
300 mm x 300 mm
with cleaning system



RAK45140

Brass Over head
shower DN 15
400 mm x 400 mm
with cleaning system



RAK45025

Brass Over head
shower DN 15
Ø 250mm
with cleaning system



RAK45030

Brass Over head
shower DN 15
Ø 300mm
with cleaning system



** Refer to the Page Number 154 for Flow Rate requirement

OVER HEAD SHOWER

RAK45040

Brass Over head
shower DN 15
Ø 400mm
with cleaning system



RAK14018

Brass Over head shower DN 15
245 mm x 140 mm
with cleaning system
with ball joint connection 1/2 inch

Available Finishes



RAK22056

ABS Over head shower DN 15
260 mm x 200 mm
with cleaning system
with ball joint connection 1/2 inch



RAK12014

ABS Over head Shower DN 15,
Ø 245 mm
with swivel ball joint ½" inch

Available Finishes



RAK12114

ABS Over head Shower DN 15,
250 mm x 250 mm
with cleaning system
with ball joint connection 1/2 inch

Available Finishes



OVER HEAD SHOWER

RAK11012

ABS Over head Shower DN 15,
Ø 200 mm
with swivel ball joint ½" inch



RAK10013

Over head Shower DN 15,
Ø 151 mm
with swivel ball joint ½" inch



RAK44002

Over head Shower 4S - DN 15,
Ø 120 mm
with swivel ball joint ½" inch
Jet kind : spray/misty/massage/
spray & massage



RAK44001

Over head Shower 4S - DN 15,
Ø 85 mm
with swivel ball joint ½" inch
Jet kind : spray/misty/massage/
spray & massage



** Refer to the Page Number 154 for Flow Rate requirement

SHOWER ARM

RAK12013

Shower arm 400 mm, DN 15
Projection 415 mm
with sliding cover plate
male thread 1/2 inch

Recommended for all round head shower

Available Finishes



RAK12113

Square shower arm
410mm DN15
Projection 388 mm
Connection G1/2" inch
with sliding cover plate

Recommended for all square head shower

Available Finishes



RAK10012

Shower arm 250 mm, DN 15
Projection 255 mm
with sliding cover plate
male thread 1/2 inch

Recommended for smaller
than 250mmØ head shower

Available Finishes



RAK45001

Shower arm 135 mm, DN 15
Projection 135 mm
with sliding cover plate
male thread 1/2 inch

Recommended to RAK10013,
RAK44002, RAK44001



SHOWER ARM

RAK10019

Ceiling Shower arm 500mm, DN 15
Projection 500 mm
with sliding cover plate
male thread 1/2 inch

Available Finishes



RAK10111

Ceiling Shower arm 200mm, DN 15
Projection200mm
with sliding cover plate
male thread 1/2 inch

Available Finishes



RAK10011

Ceiling Shower arm 150mm, DN 15
Projection 150 mm
with sliding cover plate
male thread 1/2 inch

Available Finishes



** Refer to the Page Number 154 for Flow Rate requirement

BATH SPOUT

RAK14008

PROFILE wall spout DN 15
projection 190 mm
wall fastening
s-pointer aerator M 24 x 1
flow class C

Available Finishes



RAK12007

PRIME Wall spout DN 15
wall projection 160 mm
wall fastening cascade
aerator M 24 x 1flow
class C with sliding cover plate
in accordance to EN 200

Available Finishes



RAK10007

POLARIS wall spout DN15
wall fastening
aerator M28 X 1 flow class B
with sliding cover plate
projection 170 mm
in accordance to EN 200

Available Finishes



RAK11013

PROJECT wall spout DN15
aerator M 28 x 1 flow class BB
automatic diverter: shower to bathtub
shower outlet 1/2 inch
protected against back flow
with sliding cover plate Ø 60 mm
projection 170 mm

Available Finishes



RAK15007

HARMONY wall spout DN 15
wall fastening
aerator M 24 x 1 flow class C
with sliding cover plate
projection 165/187 mm
in accordance to EN 200



RAK14010

PROFILE - 1S Hand shower
flow class A with cleaning system
with big size shower
spray 130 X130 mm
voluminous shower spray from 100 nozzles
flow rate 18.9 l/min at 3 bar
connection 1/2 inch DN 15



RAK13019

PASSION - 1S Hand shower with
cleaning system
with big size shower spray Ø137 mm
voluminous shower spray from
90 spray nozzles
flow rate 18.7 l/min at 3 bar
low-aerosol
connection 1/2 inch DN 15



RAK40009

1S Hand shower DN15
jet kind : rain shower
anti-limescale system
48 spray nozzles
connection G1/2”
perfect spray pattern
fits all standard shower hoses



RAK40008

1S Hand shower DN15
jet kind : rain shower
anti-limescale system
flow class A 48 spray nozzles
connection G1/2”
perfect spray pattern
fits all standard shower hoses

Available Finishes



** Refer to the Page Number 154 for Flow Rate requirement

RAK40014

3S Hand Shower DN 15
Ø 125 mm
jet kind : spray/massage/spray &
massage

Available Finishes



RAK40015

3S Hand Shower DN 15
jet kind : spray/massage/spray &
massage

Available Finishes



RAK6080005

3S Hand Shower DN 15
jet kind : rain shower/soft
spray/massage spray



RAK40006

3S Hand Shower DN 15
Ø 120 mm
jet kind : spray/massage/spray &
massage



HAND HELD SHOWER

RAK40007 *

3S Hand Shower DN 15
Ø 106 mm
jet kind : spray/massage/
spray & massage

Available Finishes



RAK40002

4S Hand Shower DN 15
Ø 120 mm
jet kind : spray/misty/massage/spray & massage

Available Finishes



RAK40003

3S Hand held Shower DN 15
Easy open
Ø 100 mm
jet kind : spray/massage/ spray & massage

Available Finishes



RAK7310005

1S Hand Shower DN 15
jet kind : rain shower



* Available only in Gold, Rose Gold and black finishes

SHOWER ACCESSORIES

RAK22182

wall supply with
shower holder DN 15
Size:25×25×65mm

Available Finishes



RAK22082

wall supply with
shower holder DN15
Size 32X89mm

Available Finishes



RAK22181

wall supply DN15
Size:25×25×57mm

Available Finishes



RAK6054005

Wall supply DN 15
with wall flange
connection 1/2 inch

Available Finishes



RAK22180

shower holder DN 15
Size:25×25×55mm

Available Finishes



RAK14020

Wall mounted shower holder
with screws and dowels



RAK6055105

Wall mount shower holder
with screws and dowels

Available Finishes



RAK22030

Wall mounted adjustable
shower holder
with screws and dowels

Available Finishes



RAK6105605

Logo flex hose DN 15
plastic coated with metal-effect
with conical nuts 1/2 x 1/2 inch x
1600mm



RAK22038

Supreme Hose with conical
nut G1/2 x 1/2 inch x 1500mm

Available Finishes



** Refer to the Page Number 154 for Flow Rate requirement

RAK6771005
3S Shower set L=600 mm

FIZZ
wall bar L = 600 mm
wall fastening
adjustable to 3 spray patterns
volume, booster, linear
with cleaning system
with ridgeless adjustable shower holder
vertically and horizontally adjustable
Logo flex hose 1/2 x 1/2 inch x 1600mm
FIZZ 3S hand shower
with fixing kit
with soap dish

RAK62200
1S Shower set L= 680 mm

wall bar with silder horizontally and vertically adjustable
jet kind : rain shower
with fixing kit
1S hand -held shower
with quick lime deposit cleaning system
with bright silver hose
and conical nuts 1/2 x 1/2 inch x 1500 mm
with screws and dowels



RAK14029
3S Shower set L=725 mm

wall bar with acrylic shelf
with slider horizontally and vertically adjustable
3S hand-held shower
bright silver shower hose
jet kind:spray, massage, spray+massage
bright silver shower hose 1/2 x 1/2 inch x 1500 mm
with conical nuts
with screws and dowels
with dirt catching sieve



** Refer to the Page Number 154 for Flow Rate requirement

RAK53000
3S Shower set L=700 mm

with horizontally and vertically ad-justable slider
bright silver shower hose
1/2 x 1/2 inch x 1500 mm with conical nuts
3S hand-held shower
adjustable to 3-spray jets
jet kind : saturating spray / massage spray / misty spray
with screws and dowels
with soap dish



RAK6761005
1S Shower set L=600 mm

FIZZ
wall bar with floating slider and shower hose
shower hose G 1/2" x G 1/2" x 1600 mm
with screws and dowels
FIZZ 1S Hand-held shower
with quick lime deposit cleaning system
with soap dish



RAK6063005
1S Shower set L=600mm

PRIME
wall bar with slider horizontally and vertically adjustable
jet kind:rain shower
with fixing kit
1S hand-held shower
with quick lime deposit cleaning system
with Logoflex-hose, plastic coated with metal-effect
and conical nuts 1/2 x 1/2 inch x 1600 mm
with screws and dowels

RAK6064005
1S shower set L = 900 mm



TRIO - 1S

RAK6013105
1S Shower set L=600mm

wall bar with slider horizontally and vertically adjustable
jet kind:rain shower
with soap dish
with fixing kit
1S hand-held shower
with quick lime deposit cleaning system
with Logoflex-hose, plastic coated with metal-effect
and conical nuts 1/2 x 1/2 inch x 1600 mm
with screws and dowels



RAK6014105

1S shower set L = 900 mm

TRIO - 4S

RAK42005
4S Shower set L=600mm

wall bar with slider horizontally and vertically adjustable
jet kind: spray/misty/massage/spray & massage
with soap dish
with fixing kit
4S hand-held shower
with quick lime deposit cleaning system
with Logoflex-hose, plastic coated with metal-effect
and conical nuts 1/2 x 1/2 inch x 1600 mm
with screws and dowels

** Refer to the Page Number 154 for Flow Rate requirement

RAK62008 *
3S Shower set L=600 mm

wall bar with floating slider and shower hose
jet kind : spray / massage / spray & massage
with fixing kit
3S hand -held shower
with quick lime deposit cleaning system
with hose type supreme hose
and conical nuts 1/2 x 1/2 inch x 1500 mm
with screws and dowels

Available Finishes



RAK62010 *
3S Shower set L=600 mm
wall bar with floating slider and shower hose
vertically adjustable
jet kind : spray / massage / spray & massage
with fixing kit
3S hand -held shower
with quick lime deposit cleaning system
with hose type supreme hose
and conical nuts 1/2 x 1/2 inch x 1500 mm
with screws and dowels

Available Finishes



RAK62001
1S Shower set L=600 mm

wall bar with slider horizontally and vertically adjustable
jet kind:rain shower
with soap dish
with fixing kit
1S hand-held shower
with quick lime deposit cleaning system
with stainless steel hose,
and conical nuts 1/2 x 1/2 inch x 1500 mm
with screws and dowels



* Available only in Gold, Rose Gold and black finishes

RAK62002
4S Shower set L=600 mm

wall bar with slider horizontally and vertically adjustable
jet kind: spray/misty/massage/spray & massage
with soap dish
with fixing kit
4S hand-held shower
with quick lime deposit cleaning system
with stainless steel hose
and conical nuts 1/2 x 1/2 inch x 1500 mm
with screws and dowels



RAK6061005
PRIME Wall bar L= 600 mm
with floating slider
shower hose G 1/2" x G 1/2" x 1600 mm
with screws and dowels

Available Finishes

RAK6062005
PRIME Wall bar L= 900 mm



RAK62012

bath shower set 1S
1S hand shower DN 15
one spray pattern
quick and easy cleaning system
with dirt catching sieve
supreme shower hose
G1/2 x G1/2 x 1500 mm
with conical nuts
with shower holder
for shower hoses with conical nuts
for rigid wall mounting



ECO 4S
RAK40022E

Bathtub set
jet kind: spray/misty/massage/spray & massage
shower connection G 1/2
shower hose 1/2" x 1/2" x 1600 mm
Adjustable holder
with screws and dowels

Available Finishes



** Refer to the Page Number 154 for Flow Rate requirement

RAK62006

Bathtub set
jet kind : spray/massage/ spray & massage
shower connection G 1/2
logo flex Hose1/2x1/2inchx1600mm
Adjustable holder
with screws and dowels

Available Finishes



RAK62005

Bathtub set
jet kind: spray/misty/massage/
spray & massage
shower connection G 1/2
shower hose 1/2" x 1/2" x 1500 mm
Adjustable holder
with screws and dowels



RAK62003

Bathtub set
jet kind: rain shower
shower connection G 1/2
shower hose 1/2" x 1/2" x 1500 mm
Adjustable holder
with screws and dowels



ECO 1S
RAK7310025E

Bathtub set
jet kind: rain shower
shower connection G 1/2
shower hose 1/2" x 1/2" x 1600 mm
Adjustable holder
with screws and dowels



RAK7310015

Bathtub set
jet kind:rain shower
shower connection G 1/2
shower hose 1/2" x 1/2" 1600 mm
fixed holder
with screws and dowels



DUAL SHOWERS



RAK18032

Shower mixer with Dual shower system L-shape
L = 1175 mm
wall fastening
hand and head shower
with divertor
with 1S hand held shower 1/2 inch
ridgeless adjustable shower holder
vertically and cylindrically
adjustable shower holder
shower hose
1/2 x 1/2 inch x 1600mm
with fixing kit
swivel head shower



RAK18034

Shower mixer with Dual
shower system L-shape
L = 1175 mm
wall fastening
hand and head shower
with divertor
with 1S hand held shower 1/2 inch
ridgeless adjustable shower holder
vertically and cylindrically adjustable
shower holder
shower hose
1/2 x 1/2 inch x 1600mm
with fixing kit
swivel head shower



RAK48003

Dual shower system L-shape
L = 1160 mm
wall fastening
hand and head shower
two way ceramic divertor
with 1S hand held shower 1/2 inch
ridgeless adjustable shower holder
vertically and cylindrically
adjustable shower holder
shower hose 1/2 x 1/2 inch x 1500mm
with fixing kit
swivel head shower
connecting hose mixer to dual shower
1/2 x 1/2 inch x 800 mm



** Refer to the Page Number 154 for Flow Rate requirement

RAK48100

Dual shower system L-shape
with adjustable
L = 1250 mm
wall fastening
hand and head shower
two way ceramic diverter
with 1S hand held shower 1/2 inch
rigideless adjustable shower holder
vertically and horizontally
shower hose 1/2 x 1/2 x inch x 1500 mm
with fixing kit swivel head shower
connection hose mixer to dual shower
1/2 x 1/2 inch x 800



RAK48002

Dual shower system L-shape
L = 1160 mm
wall fastening
hand / head shower
two way ceramic divertor
with 1S hand held shower 1/2 inch
ridgeless adjustable shower holder
vertically and cylindrically adjustable
shower holder with fixing kit
shower hose 1/2 x 1/2 inch x 1500 mm
swivel head shower
connecting hose mixer to dual shower
1/2 x 1/2 inch x 800 mm



RAK48000

Dual shower system L-shape
L = 960 mm
wall fastening
hand and head shower
two way ceramic divertor
with 4S hand held shower 1/2 inch
ridgeless adjustable shower holder
vertically and cylindrically adjustable
shower holder
shower hose 1/2 x 1/2 inch x 1500mm
with fixing kit swivel Round head shower
connecting hose mixer to dual shower
1/2 x 1/2 inch x 800 mm



RAK48001

Dual shower system L-shape
L = 960 mm
wall fastening
hand and head shower
two way ceramic divertor
with 3S hand held shower 1/2 inch
ridgeless adjustable shower holder
vertically and cylindrically adjustable
shower holder
shower hose 1/2 x 1/2 inch x 1500mm
with fixing kit swivel square head shower
connecting hose mixer to dual shower
1/2 x 1/2 inch x 800 mm



** Refer to the Page Number 154 for Flow Rate requirement

RAK48007

Dual shower system L-shape
L = 1160 mm
wall fastening
hand and head shower
two way ceramic divertor
with easy open 3S hand
held shower 1/2 inch
ridgeless adjustable shower holder
vertically and cylindrically adjustable
shower holder
shower hose 1/2 x 1/2 inch x 1500mm
with fixing kit swivel head shower
connecting hose mixer to dual shower
1/2 x 1/2 inch x 800 mm



RAK48010 *

Dual shower system L-shape
L = 960 mm

Available Finishes

RAK48011 *

Dual shower system L-shape
L = 960 mm

Available Finishes

* Available only in Gold, Rose Gold and black finishes

RAK48042

Dual shower system L-shape
L = 960 mm
wall fastening
hand and head shower
two way ceramic divertor
with 3S hand held shower 1/2 inch
ridgeless adjustable shower holder
vertically and cylindrically adjustable
shower holder
shower hose 1/2 x 1/2 inch x 1500mm
with fixing kit swivel Round head shower
connecting hose mixer to dual shower
1/2 x 1/2 inch x 800 mm

Available Finishes



RAK48043

Dual shower system L-shape
L = 960 mm
wall fastening
hand and head shower
two way ceramic divertor
with 3S hand held shower 1/2 inch
ridgeless adjustable shower holder
vertically and cylindrically adjustable
shower holder
shower hose 1/2 x 1/2 inch x 1500mm
with fixing kit swivel Square head shower
connecting hose mixer to dual shower
1/2 x 1/2 inch x 800 mm

Available Finishes



** Refer to the Page Number 154 for Flow Rate requirement

DUAL SHOWERS

RAK48040

Dual shower system L-shape
L = 960 mm
wall fastening
hand and head shower
two way ceramic divertor
with 3S hand held shower 1/2 inch
ridgeless adjustable shower holder
vertically and cylindrically adjustable
shower holder
shower hose 1/2 x 1/2 inch x 1500mm
with fixing kit swivel Round head shower
connecting hose mixer to dual shower
1/2 x 1/2 inch x 800 mm



RAK48041

Dual shower system L-shape
L = 960 mm
wall fastening
hand and head shower
two way ceramic divertor
with 3S hand held shower 1/2 inch
ridgeless adjustable shower holder
vertically and cylindrically adjustable
shower holder
shower hose 1/2 x 1/2 inch x 1500mm
with fixing kit swivel Square head shower
connecting hose mixer to dual shower
1/2 x 1/2 inch x 800 mm



BATHROOM
ACCESSORIES

THE FINISHING TOUCH FOR INSPIRATIONAL BATHROOMS

High quality craftsmanship, top-grade materials and exceptional finish is the hallmark of KLUDI RAK range of finest accessories. Bathroom Accessories for shower, wash basin and bathtub are distinctive in their styles, shapes and are compatible with contemporary and traditional bathrooms. Moreover accessories from KLUDI RAK perfectly complement the interior décor and create inspirational bathrooms.

RAK20001
Single towel bar
wall fastening
with screws and dowels



RAK20003
Towel ring
wall fastening
with screws and dowels



RAK20004
Paper holder
wall fastening
with screws and dowels



RAK20005
Robe Hook
wall fastening
with screws and dowels



RAK20007
Tumbler holder with glass
wall fastening
with screws and dowels



** Refer to the Page Number 154 for Flow Rate requirement

SWING
ACCESSORIES

RAK20008
Soap dish with glass
wall fastening
with screws and dowels



RAK20015
Paper roll holder
wall fastening
with screws and dowels



RAK20020
Towel shelf with towel bar
wall fastening
with screws and dowels



RAK28001
Single towel bar 600mm
wall fastening
with screws and dowels



RAK28003
Towel ring
wall fastening
with screws and dowels



RAK28004
Paper holder
with adjustable guide plate
wall fastening
with screws and dowels



RAK28015
Paper roll holder
wall fastening
with screws and dowels



RAK28005
Robe Hook
wall fastening
with screws and dowels



** Refer to the Page Number 154 for Flow Rate requirement

RAK28007
Tumbler holder with glass
wall fastening
with screws and dowels



RAK28008
Soap dish with glass
wall fastening
with screws and dowels



RAK28032
Toilet brush holder
wall fastening
with screws and dowels
with container glass
with brush



RAK28033
Wall mounted soap
dispenser 150 ml
wall fastening with
screws and dowels



Available Finishes

RAK25001

Single towel bar
wall fastening
with screws and dowels



RAK25002

Soap basket
wall fastening
with screws and dowels



RAK25003

Towel Ring
wall fastening
with screws and dowels



RAK25004

Paper holder
with adjustable guide plate
wall fastening
with screws and dowels



RAK25005

Double Robe Hook
wall fastening
with screws and dowels



RAK25006

Soap /Sponge basket
wall fastening
with screws and dowels



Available Finishes

RAK25007

Tumbler Holder
wall fastening
with screws and dowels



RAK25008

Soap Dish Glass
wall fastening
with screws and dowels
with a bowl of glass



RAK25014

Double tumbler holder, glass
wall fastening
with screws and dowels



RAK25015

Extra Paper Roll holder
wall fastening
with screws and dowels



RAK25032

Toilet Brush Holder
wall fastening
with screws and dowels
with container glass with brush



Available Finishes

RAK26001

Single towel bar
wall fastening
with screws and dowels



RAK26003

Towel Ring
wall fastening
with screws and dowels



RAK26004

Paper holder
with adjustable guide plate
wall fastening
with screws and dowels



RAK26005

Robe Hook
wall fastening
with screws and dowels



RAK26007

Tumbler Holder
wall fastening
with screws and dowels



Available Finishes

RAK26008

Soap Dish Glass
wall fastening
with screws and dowels
with a bowl of glass



RAK26015

Paper Roll Holder
wall fastening
with screws and dowels



RAK26011

Double Towel Bar
wall fastening
with screws and dowels



RAK26032

Toilet Brush Holder
wall fastening
with screws and dowels
with container glass with brush



RAK26033

Wall Mounted Soap Dispensor,
glass - 175 ml
wall fastening
with screws and dowels

Available Finishes

RAK23000

Single towel bar
wall fastening
with screws and dowels



RAK23001

Single towel bar
wall fastening
with screws and dowels



RAK23003

Towel ring
wall fastening
with screws and dowels



RAK23004

Paper holder
wall fastening
with screws and dowels
with fixed guide plate



RAK23005

Robe hook
wall fastening
with screws and dowels



Available Finishes

RAK23007

Brass tumbler holder, glass
wall fastening
with screws and dowels
with transparent glass



RAK23008

Brass soap dish, glass
wall fastening
with screws and dowels
with transparent glass



RAK23002

Soap basket
wall fastening
with screws and dowels



RAK23006

Soap /Sponge basket
wall fastening
with screws and dowels



Available Finishes

RAK24000
Single towel bar
wall fastening
with screws and dowels
with square bar



RAK24001
Single towel bar
wall fastening
with screws and dowels
with square bar



RAK24003
Towel ring
wall fastening
with screws and dowels



RAK24004
Paper holder
wall fastening
with screws and dowels



RAK24015
Extra Paper Roll holder
wall fastening
with screws and dowels



RAK24005
Robe hook
wall fastening
with screws and dowels



Available Finishes

RAK24025
Double Robe hook
wall fastening
with screws and dowels



RAK24007
Tumbler holder glass
wall fastening
with screws and dowels



RAK24008
Soap dish glass
wall fastening
with screws and dowels
with a bowl of glass



RAK24033
Wall mounted soap dispenser,
glass - 225 ml
wall fastening
with screws and dowels



RAK24013
Glass shelf
wall fastening
with screws and dowels

RAK24010
Brass Towel shelf
wall fastening
with screws and dowels



RAK24032
Toilet brush holder
wall fastening
with screws and dowels



Available Finishes

RAK21000
Single towel bar
wall fastening
with screws and dowels



RAK21001
Single towel bar
wall fastening
with screws and dowels



RAK21003
Towel ring
wall fastening
with screws and dowels



RAK21031
Towel ring
wall fastening
with screws and dowels



RAK21004
Paper holder
wall fastening
with screws and dowels
with adjustable guide plate



RAK21005
Robe hook
wall fastening
with screws and dowels



Available Finishes

RAK21008
Soap dish, glass
wall fastening
with screws and dowels
with a bowl of crystal glass



RAK21007
Tumbler holder, glass
wall fastening
with screws and dowels



RAK21014
Double tumbler holder, glass
wall fastening
with screws and dowels



RAK22009
Wall mounted soap dispenser,
brass - 150 ml
wall fastening
with screws and dowels



RAK21033
Wall mounted soap dispenser,
glass - 200 ml
wall fastening
with screws and dowels



RAK21002
Soap basket
wall fastening
with screws and dowels



RAK21006
Soap / sponge basket
wall fastening
with screws and dowels



Available Finishes

RAK21034

Soap basket corner
wall fastening
with screws and dowels



RAK21013

Glass shelf
wall fastening
with screws and dowels



RAK21012

Double towel bar adjustable
with adjustable two arm
wall fastening
with screws and dowels

RAK21011

Double towel bar
wall fastening
with screws and dowels



RAK21009

Bath grab bar
wall fastening
with screws and dowels



RAK21032

Toilet brush holder, glass
wall fastening
with screws and dowels
with container glass with brush



RAK21015

Extra paper roll holder
wall fastening
with screws and dowels



Available Finishes

RAK21010

Towel shelf
wall fastening
with screws and dowels



RAK21020

Towel shelf with towel bar
wall fastening
with screws and dowels





RAK21021

CALIBER Bathroom
accessories, 6 piece set

RAK21022

PROJECT Bathroom
accessories, 6 piece set

RAK27021

PEARL Bathroom
accessories, 5 piece set

RAK32002
Brass Shattaf with supreme hose
& wall bracket
Connection 1/2 inch
with supreme hose
G1/2 x G 1/2 x 1200mm
with wall braket
with dirt catching sieve

Available Finishes

RAK32107
ABS Shattaf with
hose & wall bracket
Connection 1/2 inch
SS hose G1/2 x G 1/2 x 1200mm
with wall bracket
with dirt catching sieve
braided pull out anti explosive hose

RAK32007
ABS chrome Shattaf
with hose & wall bracket
Connection 1/2 inch
SS hose G1/2 x G 1/2 x 1200mm
with wall bracket
with dirt catching sieve
braided pull out anti explosive hose

RAK32008
ABS Black Shattaf with black
hose & wall bracket
Connection 1/2 inch
black hose G1/2 x G 1/2 x 1200mm
with wall bracket
with dirt catching sieve

RAK32009
ABS White Shattaf
with hose & wall bracket
Connection 1/2 inch
SS hose G1/2 x G 1/2 x 1200mm
with wall bracket
with dirt catching sieve
braided pull out anti explosive hose

Spray stream
by Neoperl
Germany

Aerator key for
easy clean

Anit- Twist
hose rotation

Stainless steel
braided pull out
anti-explosive hose

RAK3200701
ABS chrome Shattaf with
Ceramic Shut-off valve
Connection 1/2 inch
Supreme hose G1/2 x G 1/2 x 1200mm
with dirt catching sieve
protected against back flow

RAK3200702
ABS chrome Shattaf with
Concealed single lever mixer,
pre installation kit DN15
Connection 1/2 inch
Supreme hose G1/2 x G 1/2 x 1200mm
with wall bracket
with dirt catching sieve
protected against back flow

Available Finishes

RAK3200703
ABS chrome Shattaf with
Single lever shattaf mixer DN 15
ceramic cartridge-K35
shower outlet G 1/2"
Supreme hose G1/2 x G 1/2 x 1200mm
S- unions 1/2 X 3/4 inch
European standard- EN 817

Available Finishes

RAK14013

Brass angle valve DN 15
1/4 Turn-cp 1/2'' x 1/2''
ceramic disc fitting
working pressure 6 bar maximum
provided with hot and cold button
rosette brass with chrome plating

Available Finishes



RAK13013

Brass angle valve DN 15
1/4 Turn-cp 1/2'' x 1/2''
ceramic disc fitting
working pressure 6 bar maximum
provided with hot and cold button
rosette brass with chrome plating

Available Finishes



RAK12018

Brass angle valve DN 15
1/4 Turn-cp 1/2'' x 1/2''
ceramic disc fitting
working pressure 6 bar maximum
provided with hot and cold button
rosette brass with chrome plating

Available Finishes



RAK11014

Brass angle valve DN 15
1/4 Turn-cp 1/2'' x 1/2''
ceramic disc fitting
working pressure 6 bar maximum
provided with hot and cold button
rosette brass with chrome plating



RAK10018

Brass angle valve DN 15
1/4 Turn-cp 1/2'' x 1/2''
ceramic disc fitting
working pressure 6 bar maximum
provided with hot and cold button
rosette brass with chrome plating



RAK12019

brass angle valve 1/4 turn
double handle double control
ceramic disc fitting
outlets G1/2"XG1/2"
smooth turn on and off handle
working pressure 7 bar maximum



ESSENTIAL
ACCESSORIES

RAK33001

Brass angle valve DN 15
1/4 Turn-cp 1/2'' x 1/2''
ceramic disc fitting
ABS handle
working pressure 6 bar maximum
provided with hot and cold button
S.S rosette



RAK33002-01

Brass angle valve DN 15
1/4 Turn-cp 1/2'' x 1/2''
ceramic disc fitting
working pressure 6 bar maximum
provided with hot and cold button
S.S rosette



RAK33003

Brass long angle valve DN 15
1/4 Turn-cp 1/2'' x 1/2''
ceramic disc fitting
ABS handle
working pressure 6 bar maximum
provided with hot and cold button
S.S rosette



RAK33004

Brass angle valve DN 15
1/4 Turn-cp 1/2'' x 1/2''
ceramic disc fitting
ABS handle
working pressure 6 bar maximum
provided with hot and cold button
S.S rosette



RAK33006

Brass angle valve DN 15
1/4 Turn-cp 1/2'' x 1/2''
ceramic disc fitting
ABS handle
working pressure 6 bar maximum
provided with hot and cold button
S.S rosette



RAK33008

Brass angle valve DN 15
1/4 Turn-cp 1/2'' x 1/2''
ceramic disc fitting
ABS handle
working pressure 6 bar maximum
provided with hot and cold button
S.S rosette



RAK22007

Click clack waste fitting with
Over flow Hole
Click Clack Waste Fitting 1¼"



RAK22007UK

Click clack waste fitting with
Over flow Hole
Click Clack Waste Fitting 1¼"

Available Finishes



RAK22025UK

Click clack waste fitting
without Over flow hole
Click Clack Waste 1¼"

Available Finishes



RAK22015

PVC bottle trap 1 1/4"
Inlet pipe- G 1 1/4" x 32mm
with outlet tube Ø40 x 200mm
with wall flange



RAK1010505

Brass chrome bottle trap 1 1/4"
G 1 1/4" x 32 mm
with outlet tube 32 x 200 mm
with wall flange

Available Finishes



RAK1002005

BOTTLE TRAP 1 1/4" X 32 MM,
ROUND

Available Finishes



RAK1020505

Bottle Trap 1 1/4" X 32 MM,
square

Available Finishes



RAK1025005

Ideal P-Trap G 1 1/4" x 32 mm
G 1 1/4" x 32 mm
adjustable drain pipe up to 70 mm
with outlet bend 32 x 220 mm
with wall flange



RAK1026005

Brass P-Trap G1. 1/4 x 32mm
for basin



RAK22023

Brass chrome floor drain
Floor drain (150x150mm)
with heavy steel mesh

Available Finishes



RAK22029

Stainless steel floor drain
Floor drain (150x150mm)
With heavy steel mesh



RAK22024

Stainless steel floor drain
Floor drain (200x200mm)
With heavy steel mesh



RAK22039

Supreme Hose with conical
nut G1/2 x 1/2 inch x 1200mm

Available Finishes



RAK22018

AGGRAF HOSE-
G1/2"x1/2"x1200mm



RAK22046

Pull out anti explosive hose
with S.S braided
G1/2" x G1/2" x 1200 mm



RAK22048

Logo Flex hose
G 1/2" x 1/2 " x 1200 mm



RAK22028

Flex feeding hose
G 1/2" x 1/2 " x 300 mm



RAK22008

Flex feeding hose
G 1/2" x 1/2 " x 500 mm



ESSENTIAL
ACCESSORIES

RAK6210121

Acrylic soap dish
(for wall bar)



RAK22070

Click Clack Waste Fitting
size 1 1/2 inch
easy to install
push down pop up



RAK22071

Click clack bathtub drain G1 1/2
domestic waste water
push down pop up
using with finished product
easy to install
maintenance free
cleaning made easy
ordour proof indoor
size 1 1/2 inch

Available Finishes





RAK22042

Brass Exposed shower Pipe



RAK80000

FlexRed WC
EN 14055 Discharge volume 3/6L
Appropriate For Dry Wall Installation
And Brick Wall Installation with two
WC fixing bolts Completely
preassembled in the factory
Water tank capacity 10 L max.
Tank depth 80 mm (Overall thickness
including frame 100 mm)
Mechanical Dual Flush
Water supply connection top right G 1/2 Male
Acoustic Class (1st Class) EN 14124 Inlet Valve
Water flow pressure 0.3 MPa (3 bar) / Max Vol : 9.0
dB,Flow rate : 9L/min
Impact Copolymer special PP Body.
(High resistance toimpact and thermal shock)
insulation in front of the body for a better
acoustic level and to prevent condensation
Powder coated, tubing profile thick
(30 mm x 40 mm) metal frame
WC hanging rods can bear up to 400 kgs.
(Adjustable for 18 or 23 cm axial
distance of toilet bowls and
115cm to 139cm vertical)



RAK80002

FlexBasic
CISTERN (For Floor Mounted
WC Pans – Dual Flush)
Tank depth 80 mm
Discharge volume 3/6L
Water supply connection top
right G 1/2 Male
Acoustic Class (1st Class)



RAK80010

FlexPlate
Dual flush push plate
Material: ABS Plastic
dimensions: 227x167 mm
Available Finishes



RAK80001

FlexRed Bidet
Wall-Hung bidet / WC frame
Higher strenghth
including hot/cold adjustable
WATER CONNECTORS
steel frame, reinforced PVC outlet
pipe Forged brass water connector



CERTIFICATE

KLUDI RAK operates under international certifications that demonstrate its dedication to manufacturing quality products

DVGW CERTIFICATE GmbH is the largest gas and water industry certification body in Europe, covering all the certification procedures equired in the gas and water sectors. The main objective of all certification work is to ensure that there are no safety, hygiene or environmental objections to the products and companies certified. The DVGW CERT certification system ensures proven quality and safety on the basis of the DVGW standards and other recognized technical standards and test specifications.

ISO 9001:2015 is the international standard that specifies requirements for a quality management system (QMS). Organizations use the standard to demonstrate the ability to consistently provide products and services that meet customer and regulatory requirements. ISO 9001:2015 is based on the plan-do-check-act methodology and provides a process-oriented approach to documenting and reviewing the structure, responsibilities, and procedures required to achieve effective quality management.

SASO Quality Mark is an important means to guide consumers to products that conform to Saudi Arabian standards. Through the Quality Mark, products gain customers' satisfaction and trust.

Emirates Green Building Council (EmiratesGBC) was formed in 2006, with the goal of advancing green building principles for protecting the environment and ensuring sustainability in the United Arab Emirates.

SONCAP The Standards Organisation of Nigeria **(SON)** is the apex standardization body in Nigeria.

WRAS is a subscription membership company limited by guarantee and was incorporated on 4 August 2008. The purpose of WRAS is to contribute to the protection of public health by preventing contamination of public water supplies and encouraging the efficient use of water by promoting and facilitating compliance with the Water Supply (Water Fittings) Regulations and Byelaws.

Emirates Authority for Standardization and Metrology (ESMA) was established as the sole Standardization Body in the UAE. The body issues conformity certificate for Water Fixtures Products complying with the UAE Assessment Scheme (ECAS) according to the technical requirements of the cabinet resolution No. 43 for the year 2014.

ADQCC Abu Dhabi Quality and Conformity Council is an Abu Dhabi government entity established in accordance with Local Law No. (3) of 2009 to raise the quality of Abu Dhabi's exports and products traded locally. QCC consists of a council of regulators and industry with a mandate to ensure provision of quality infrastructure in line with global standards.

Supplier Certificate from UAE Ministry of Infrastructure Development

WATER EFFICIENCY COMPLIANCE

KLUDI RAK's products have been issued with the Water Efficiency Label from **SASO** Water Efficiency Labeling Programme of Saudi Arabia, Emirates Authority for Standardization and Metrology **(ESMA)** of the UAE and Egyptian Organization For Standardization & Quality **(EOS)** of Egypt. KLUDI RAK is amongst the first companies to have 5-star ratings from **ESMA** and A-grade ratings from SASO for its products.



CERTIFICATE



ADDITIONAL PRODUCT REFERENCE CODES

FOR BASIN/ BIDET/ SINK MIXERS	
RAKXXXXX	3/8" HOSE CONNECTION - FLOW RATE 15 ≤ LTR/MIN
RAKXXXXX-01	1/2" HOSE CONNECTION - FLOW RATE 6 LTR/MIN
RAKXXXXX-03	1/2" HOSE CONNECTION - FLOW RATE 15 ≤ LTR/MIN
RAKXXXXX-04	3/8" HOSE CONNECTION - FLOW RATE 6 LTR/MIN
RAKXXXXX-31	1/2" HOSE CONNECTION - FLOW RATE 1.9 LTR/MIN
RAKXXXXX-32	1/2" HOSE CONNECTION - FLOW RATE 3 LTR/MIN
RAKXXXXX-09	1/2" HOSE CONNECTION - FLOW RATE 3.8 LTR/MIN
RAKXXXXX-33	1/2" HOSE CONNECTION - FLOW RATE 5 LTR/MIN
RAKXXXXX-37	1/2" HOSE CONNECTION - FLOW RATE 0.6 LTR/MIN
FOR SHOWER MIXERS HAND SHOWER & OVERHEAD SHOWER	
RAKXXXXX	FLOW RATE 15 ≥ LTR/MIN
RAKXXXXX-21	FLOW RATE 9 LTR/MIN
RAKXXXXX-22	FLOW RATE 7 LTR/MIN

FOR BATH MIXER		
RAKXXXXX	FLOW RATE 22 ≥ LTR/MIN	
RAKXXXXX-86	FLOW RATE 9 LTR/MIN	
RAKXXXXX-87	FLOW RATE 8 LTR/MIN	
RAKXXXXX-88	FLOW RATE 6 LTR/MIN	
COUNTRY CODES		
RAKXXXXXEG	EGYPTIAN STANDARD	
RAKXXXXXAD	ADQCC STANDARD	
RAKXXXXXSA	SASO STANDARD	
AVAILABLE FINISHES		
RAKXXXXX.GD1	GLOSSY GOLD	
RAKXXXXX.RG1	GLOSSY ROSE GOLD	
RAKXXXXX.BK1	GLOSSY BLACK	

CREATE YOUR PRODUCT CODE

PRODUCT CODE	IMAGE	FINISH	FLOW RATE
RAK16000-09		CHROME	3.8LTR/MIN
RAK16000-33.GD1		GOLD	5 LTR/MIN
RAK16000-31.RG1		ROSE GOLD	1.9 LTR/MIN
RAK16000-09.BK1		BLACK	3.8 LTR/MIN

CARE INSTRUCTIONS

Dear Customer,
Congratulations on choosing the best bathroom fittings for your needs!
In order to ensure the long life of your Kludi RAK products, please follow the enlisted care and cleaning instructions.

- Clean the surface to prevent accumulation of dirt and lime scale
- For daily cleaning use neutral cleaners and water
- For removing strong lime scale use cleaners with citric acid base
- Use cleaning agents specially developed for fittings
- Cleaning sprays should first be sprayed on a soft cloth and then the cloth should be used to clean the fittings. Do not spray them directly on the surface of the fitting.
- The amount of cleaning agent used should be just sufficient to remove the dirt and lime scale. Do not use excessive quantities. Also, do not let the cleaning agent stay on the surface for longer time than necessary.
- After using the cleaning agent, rinse the fitting with sufficient water to remove it and then polish with a soft cloth.

The chrome plating on the surface of the fitting is a result of a lot of chemical reactions. Strong cleaners and bleach can alter the effects of these reactions and cause significant damage to the surface and void the warranty. In any case do not use any of the following to clean the fittings:

- Abrasive cleaning materials, pads, scourers etc.
- Cleaning agents with volatile acids like hydrochloric or acetic acid
- Scouring powders or abrasive cleaning fluids
- Cleaning agents containing bleach such as Clorox.

Cleaning the fittings after each use helps retain their value!

KLUDI
RAK
" We Stand for Water Saving "

WE STAND FOR WATER SAVING

kludirak.com

KLUDI

RAK

" We Stand for Water Saving "

800 KLUDI 55834

Post Box : 6679, Ras Al Khaimah,
United Arab Emirates,
Tel : +971 7 204 8111 , Fax : +971 7 244 7759

www.kludirak.com